



Log in / register

Issue 30, 2025

Previous

Next



From the journal:

New Journal of Chemistry

Design and development of La(III) driven graphene oxide superabsorbent hydrogel from guar gum and gallic acid for drug delivery applications: experimental and DFT evaluation



Reyaz A. Rather,^a Mushtaq A. Bhat,^a Nayeema Gull,^a Aabid H. Shalla  *^a and Jan M. Mir  ^a

Author affiliations

* Corresponding authors

^a Soft Material Lab, Department of Chemistry, School of Science, Islamic University of Science and Technology, IUST, Awantipora, India

E-mail: sheenf@gmail.com

Abstract

The use of graphene oxide (GO) and La³⁺ ions to reinforce guar gum (GG) and gallic acid (GA)-based hydrogel beads offers a promising strategy for controlled drug delivery. Hydrogels were synthesized *via* the solvent rotation method and characterized using SEM, FTIR, texture analysis, and TGA. Also, the complex of GO, GG, GA and La³⁺ was optimized at the DFT level of theory using the Stuttgart-Dresden (SDD) basis set along with WB97XD as the functional to infer various physicochemical properties. The calculations show that the central ion plays an important role in the adsorption model revealing the critical role of La³⁺ in enhancing adsorption properties in relevance with the target study. GO incorporation improved the swelling behavior (up to 3500% at pH 7) and increased the compressive strength from 83.24 N to 91.25 N. The drug encapsulation efficiency for amoxicillin trihydrate (Amox) was 88.3% (with GO) and 88.7% (without GO). Drug release followed the Korsmeyer-Peppas model ($R^2 \approx$