





# Lavender essential oil as a novel anticoccidial agent: First report from *In-vitro* and *In-vivo* studies of *Lavandula angustifolia* flowering plant grown in the Kashmir Himalayas

Shagufta Iqbal<sup>1</sup>, Syed Tanveer<sup>1</sup>, Shafia Mushtaq Allaqaband<sup>2</sup>, Idrees Mehraj Allaie<sup>3</sup>  ,  
Majid Shafi Kawoosa<sup>4</sup>, Bilal Ahmad Para<sup>5</sup>, Adil Mehraj Khan<sup>6</sup>, Immad Ahmad Shah<sup>7</sup>

<sup>1</sup> Department of Zoology, University of Kashmir, Hazratbal, Srinagar, Kashmir, India

<sup>2</sup> Department of Medicine, Govt. Unani Medical College, Ganderbal, Kashmir, India

<sup>3</sup> Division of Veterinary Parasitology

<sup>4</sup> Division of Veterinary Pathology

<sup>6</sup> Division of Veterinary Pharmacology and Toxicology, Faculty of Veterinary Sciences & Animal Husbandry

<sup>7</sup> Division of Agricultural Statistics, Faculty of Horticulture, Sher-e-Kashmir University of Agricultural Sciences & Technology of Kashmir, Srinagar, Kashmir, India

<sup>5</sup> Department of Mathematical Sciences, Islamic University of Science and Technology, Awantipora, Pulwama, Kashmir, India

Received 2 November 2025, Revised 2 March 2026, Accepted 14 April 2026, Available online 28 April 2026.

[? What do these dates mean?](#)

Show less 

 Share  Cite

<https://doi.org/10.1016/j.micpath.2026.108510> 

[Get rights and content](#) 

## Highlights